



MATERIAL SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: FAST MP40 METAL TOPCOAT
Company Name: Stevensons Paints
Address: Tobie St, Hennospark, Centurion, Gauteng
Telephone: (012) 653 4222
Facsimile: (012) 653 4225
Spill Emergency no: 0800 17 07 43 (*Rapid Spill Response*)
Health Emergency no: 0800 33 34 44 (*Poison Control Centre*)
E-Mail Address: info@norware.co.za
Contact Persons: P Linde (082 829 4831)
G Swanepoel (083 229 2691)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Trade name: Fast MP40 Metal Topcoat
CAS No: N/A
UN No: N/A
EC No: N/A
SAPMA: 4-H-C
Hazchem: N/A
ECC Classification: Water based, non-hazardous paint
Hazardous components: None

Components	CAS #	Concentration	Risk Phrase
Acrylic emulsion	N/A	15 – 45%	N/A
Pigments	N/A	Up to 50%	R20/21
Water	7732-18-5	10 – 20%	
Ingredients determined not to be hazardous		Up to 100%	

SECTION 3. HAZARDS IDENTIFICATION

SAPMA health rating: 4 minimal – No great risk to health.
Inhalation: Possible traces of free monomers. Can be irritating.
Skin: Direct contact to be avoided.
Eyes: Can cause damage.
Ingestion: Irritating and nauseating.

No record of chronic effects found.

May have short term environmental effects. Contain, monitor & remove.



SECTION 4. FIRST AID MEASURES

Inhalation:	Move to fresh air.
Skin:	Always wash after being in contact with chemical substances.
Eyes:	Rinse with plenty of water. Seek medical advice if symptoms persist.
Ingestion:	Give plenty of water/milk. Induce vomiting if patient conscious. Get medical advice.

SECTION 5. FIRE FIGHTING MEASURES

Dried residues – combustible with toxic fumes.
No direct explosion hazard expected.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Contain & collect.
Caution – Can make floors slippery.

SECTION 7. HANDLING AND STORAGE

Inert substance with no special requirements for hazard containment.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA rating:	4-H-C
PPE:	Eye protection as necessary.
Inhalation:	In case of insufficient ventilation, use suitable respiratory protection.
Skin:	Observe the rules of hygiene. Wash before eating, drinking or smoking.
Eyes:	Avoid direct contact. Never touch eyes with dirty hands or gloves.
Ingestion:	Observe the rules of hygiene. Wash before eating, drinking or smoking.

Appropriate hand protection and protective clothing must always be used.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical class:	Water based paint
Appearance:	Coloured liquid
pH:	Ca 7
Density:	>1
Non-volatile:	Ca 50%
Flash point:	N/A
Boiling point:	100+
Solubility	Water: Miscible Oil: Insoluble
Partition coefficient (n-octanol/water):	N/Q

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable if stored under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

No record of chronic effects found.

LD50 Oral: N/E mg
LD50 Skin: mg
LC Inhalation: mg

SECTION 12. ECOLOGICAL INFORMATION

May have short term environmental effects. Contain, monitor & remove.

SECTION 13. DISPOSAL INFORMATION

Can be eliminated from sewage/effluent by chemical flocculation.
Exercise discretion in the disposal of used containers.

SECTION 14. TRANSPORT INFORMATION

UN No.: N/A
EA Code: N/A
Hazchem code: N/A
Kemmler: N/A

SECTION 15. REGULATORY INFORMATION

EC index No.: N/A
Label No. (EINECS/ELINCS): N/A

SECTION 16. OTHER INFORMATION

In case of any discomfort always seek medical advice.
All information is given in good faith but without guarantee in respect of accuracy.
No responsibility is accepted for errors or omissions or the consequences thereof.